

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
West Orange Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	22	19	0	0	22	19
AIDS-CD4 Only	#	#	#	#	37	32
HIV Only	#	#	#	#	55	48
-----	-----	---	-----	---	-----	---
Total	113	100	#	#	114	100

Current			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Age *	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	42	37	0	0	42	37
5-12	#	#	Black, Not Hispanic	#	#	#	#	51	45
13-19	#	#	Hispanic	19	17	0	0	19	17
20-29	6	5	Other/Unknown	#	#	#	#	#	#
30-39	37	32	-----	-----	---	-----	---	-----	---
40-49	43	38	Total	113	100	#	#	114	100
50+	24	21							
Unk.	0	0							
-----	-----	---							
Total	114	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	18	25	0	0	18	16
Injection drug user (IDU)	10	14	6	16	16	15
MSM/IDU	5	7	0	0	5	5
Heterosexual contact	9	12	12	32	21	19
Risk not reported/other***	31	42	19	51	50	45
-----	-----	---	-----	---	-----	---
Total	73	100	37	100	110	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** # patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
West Orange Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	38	(30)	29 (78)	0	(0)	0 (.)	38	(29)
Other OI w/o PCP	#	(#)	# (#)	#	(#)	# (#)	#	(#)
KS Alone	#	(#)	# (#)	#	(#)	# (#)	#	(#)
No Disease Listed	47	(37)	10 (26)	0	(0)	0 (.)	47	(36)
Total	127	(100)	69 (59)	#	(#)	# (#)	129	(100)

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
				Cases	%	Cases	%	Cases	%
Under 5	#	#	White, Not Hispanic	68	54	0	0	68	53
5-12	#	#	Black, Not Hispanic	#	#	#	#	49	38
13-19	0	0	Hispanic	#	#	#	#	12	9
20-29	15	12	Other/Unknown	0	0	0	0	0	0
30-39	54	42							
40-49	42	33	Total	127	100	#	#	129	100
Over 49	16	12							
Unknown	0	0							
Total	129	100							

4. Patient Group	Adult/Adolescent Transmission Modes **				Total	%
	Males	%	Females	%		
Men sex with men (MSM)	40	40	0	0	40	31
Injection drug user (IDU)	27	27	6	22	33	26
MSM/IDU	5	5	0	0	5	4
Heterosexual contact	8	8	7	26	15	12
Risk not reported/other***	20	20	14	52	34	27
Total	100	100	27	100	127	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	.	0	0	0	0
Total	#	#	#	#	#	#

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
West Orange Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	#
1985	#	#	#
1986	#	#	#
1987	7	7	100%
1988	#	#	#
1989	9	7	78%
1990	9	9	100%
1991	#	#	#
1992	6	5	83%
1993	19	13	68%
1994	13	9	69%
1995	8	#	#
1996	8	#	#
1997	8	#	#
1998	#	#	#
1999	5	#	#
2000	7	0	0%
2001	6	0	0%
2002	6	#	#
2003	#	#	#
2004	#	#	#
-----	-----	-----	-----
Total	129	70	54%

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
West Orange Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	82	44
AIDS-CD4 Only	47	26	0	0	47	25
HIV Only	#	#	#	#	57	31
-----	-----	---	-----	---	-----	---
Total	181	100	5	100	186	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	90	50	0	0	90	48
5-12	#	#	Black, Not Hispanic	#	#	#	#	72	39
13-19	#	#	Hispanic	#	#	#	#	22	12
20-29	35	19	Other/Unknown	#	#	0	0	#	#
30-39	80	43	-----	-----	---	-----	---	-----	---
40-49	45	24	Total	181	100	5	100	186	100
Over 49	19	10							
Unknown	0	0							
-----	-----	---							
Total	186	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	48	35	0	0	48	27
Injection drug user (IDU)	33	24	8	18	41	23
MSM/IDU	9	7	0	0	9	5
Heterosexual contact	10	7	14	31	24	13
Risk not reported/other***	36	26	23	51	59	33
-----	-----	---	-----	---	-----	---
Total	136	100	45	100	181	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	5	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	5	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
West Orange Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	#	#	#
1985	5	5	100%
1986	8	6	75%
1987	9	7	78%
1988	6	6	100%
1989	9	7	78%
1990	11	8	73%
1991	6	#	#
1992	12	6	50%
1993	15	7	47%
1994	12	6	50%
1995	9	#	#
1996	11	#	#
1997	13	#	#
1998	7	#	#
1999	9	#	#
2000	10	0	0%
2001	11	0	0%
2002	13	#	#
2003	#	#	#
2004	#	#	#
-----	-----	-----	-----
Total	186	72	39%